



KMP. KASUARI PASIFIK IV

Ordered by : Direktorat Jenderal Perhubungan Darat

TYPE	:	RO-RO Ferry 500 GRT
Class	:	BKI A + 100 (1) P Kapal Penyeberangan + SM
Length Over All	:	47.84 m
Length at Water Line	:	42.50 m
Length Perpendicular	:	40.15 m
Breadth (Moulded)	:	12.00 m
Height (Moulded)	:	3.20 m
Draft	:	2.15 m
Main Engine	:	YANMAR 6HYM-ETE
Auxiliary Engine	:	PERKINS 2 x 84 kVA
Horse Power	:	2 x 800 HP
Service Speed	:	11 Knot
Crew	:	18 Persons
Passenger	:	202 Persons



KMP. TANJUNG BURANG

Ordered by : Direktorat Jenderal Perhubungan Darat

TYPE	:	RO-RO Ferry 500 GRT
Class	:	BKI A + 100 (1) P Kapal Penyeberangan + SM
Length Over All	:	45.30 m
Length at Water Line	:	40.72 m
Length Perpendicular	:	38.30 m
Breadth (Moulded)	:	12.00 m
Height (Moulded)	:	3.00 m
Draft	:	2.00 m
Main Engine	:	NIIGATA 6 NSD-M
Auxiliary Engine	:	PERKINS 2 x 80 kVA
Horse Power	:	2 x 650 HP
Service Speed	:	10.50 Knot
Crew	:	16 Persons
Passenger	:	400 Persons, 21 unit vehicle



KMP. TRISILA BHAKTI II

Ordered by : PT. Trisila Laut

TYPE	:	RO-RO Ferry 500 GRT
Class	:	BKI A + 100 (1) P Kapal Penyeberangan + SM
Length Over All	:	51.99 m
Length at Water Line	:	42.50 m
Length Perpendicular	:	41.00 m
Breadth (Moulded)	:	13.50 m
Height (Moulded)	:	3.00 m
Draft	:	2.00 m
Main Engine	:	YANMAR 6HYM-ETE
Auxiliary Engine	:	PERKINS 2 x 84 kVA
Horse Power	:	2 x 500 HP
Service Speed	:	8 Knot
Crew	:	14 Persons
Passenger	:	300 Persons